

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1271	(451/285).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:14
L2	412	(451/286).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:15
L3	1347	(451/287).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:15
L4	1341	(451/288).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:15
L5	481	(451/289).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:15
L6	966	(451/296).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:15
L7	3653	(451/41).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:15
L8	585	(451/60).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:15
L9	1755	(451/5).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:16

L10	1071	(451/8).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:16
L11	2501	(438/692,693).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/07 12:17
L12	43	1 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:18
L13	15	2 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:19
L14	54	3 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:26
L15	31	4 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:28
L16	13	5 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:29
L17	9	6 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:30
L18	251	7 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:33
L19	29	8 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:34

L20	88	9 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:36
L21	62	10 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:37
L22	1580	conductive with material and first with second with electrode and varying with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:42
L23	142	22 and removing with conductive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:41
L24	970	22 and frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:41
L25	51	removing with conductive with material and first with second with electrode and varying with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/07 12:42